DOCKET NO. 2000.04.017.WT0

OFE 400 W

Customer No. 23990

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re application of

Bryan J. Moles, et al.

Serial No.

09/475,602

Filed

December 30, 1999

For

SYSTEM AND METHOD FOR SECURE PROVISIONING OF

A MOBILE STATION FROM A PROVISIONING SERVER USING IP ADDRESS TRANSLATION AT THE BTS/BSC

Art Unit

2135

Examiner

Beemnet W. Dada

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

Sir:

The undersigned hereby certifies that the following documents:

- 1. Postcard Receipt;
- 2. Appellants' Brief on Appeal;
- 3. Fee Transmittal FY 2008 (in duplicate); and
- 4. Check in the amount of \$510.00 for Appeal Brief filing fee

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to MAIL STOP APPEAL BRIEF - PATENTS, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 6, 2008.

Date: June 6, 2008

Maila

Date: June 6, 2008

John T. Mockler

Reg. No. 39,775

P.O. Drawer 800889 Dallas, Texas 75380 Phone: (972) 628-3600 Fax: (972) 628-3616

E-mail: imockler@munckcarter.com

PTO/SB/17 (10-07)

\$510.00

Approved for use through 06/30/2010. OMB 0651-0032

Upder the Paperwork Reduction	Act of 1995 no p	ersons are required to re				ARTMENT OF COMMER® a valid OMB control numb	
Effective	on 12/08/2004.			Co	mplete if Known	1	
Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).			Application Num	nber 09	09/475,602		
FEE TRA	NSIV	IIIIAL	Filing Date	D	ecember 30, 1999)	
For	FY 2008	В	First Named Inv	entor B	ryan J. Moles		
			Examiner Name	В	Beemnet W. Dada		
Applicant claims small entity status. See 37 CFR 1.27			Art Unit	2.	2135		
TOTAL AMOUNT OF PAYME	NT (\$)	510.00	Attorney Docket	t No. S	AMS01-00097		
METHOD OF PAYMENT (check all that	apply)					
Check Credit Card Money Order None Other (please identify):							
Deposit Account Deposit Account Number: 50-0208 Deposit Account Name: Munck Carter, P.C.							
						1.0.	
For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)							
Charge fee(s) indicated below Charge fee(s) indicated below, except for the filing fee							
Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17							
ARNING: Information on this formation and authorization on	orm may become	public. Credit card in	formation should no	ot be includ	ded on this form. Prov	vide credit card	
FEE CALCULATION							
BASIC FILING SEARC	H. AND FXA	MINATION FEES					
1. BASIC FILING, SEARCH, AND EXAMINATION FEES FILING FEES SEARCH FEES EXAMINATION FEES							
Application Type		Entity (\$) Fee (\$	Small Entity Fee (\$)	Fee (\$	Small Entity Fee (\$)	Fees Paid (\$)	
Utility	310 15		255	210	105		
Design	210 10		50	130	65		
Plant	210 10		155	160	80		
Reissue	310 15	5 510	255	620	310		
Provisional	210 10		0	0	0		
2. EXCESS CLAIM FEES		•	Ü	ŭ	*	Small Entity	
Fee Description					<u>Fee (\$)</u> 50	Fee (\$)	
Each claim over 20 (including Reissues)						25 105	
Each independent claim over 3 (including Reissues)					210 370	185	
Multiple dependent clai Total Claims E	xtra Claims	Fee (\$) Fee	e Paid (\$)			endent Claims	
- 20 or HP =	XII O O I AIIII S		e r alu (V)		Fee (\$)	Fee Paid (\$)	
HP = highest number of total cla							
	xtra Claims		Paid (\$)				
- 3 or HP = HP = highest number of indepen	X	for, if greater than 3					
APPLICATION SIZE FE	E						
If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer							
listings under 37 CFR 1.52(e)), the application size fee due is \$260 (\$130 for small entity) for each additional 50							
sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s). Total Sheets							
OTHER FEE(S) Non-English Specificat	ion, \$130 fo	ee (no small entity	discount)			Fees Paid (

SUBMITTED BY

Signature

Registration No. (Attorney/Agent) 39,775

Name (Print/Type) John T. Mockler

Registration No. (Attorney/Agent) 39,775

Date June 6, 2008

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Other (e.g., late filing surcharge): Appeal Brief



NUPLICATE

PTO/SB/17 (10-07)

Approved for use through 06/30/2010. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number Effective on 12/08/2004. Complete if Known Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818). 09/475,602 Application Number TRANSM Filing Date December 30, 1999 For FY 2008 First Named Inventor Bryan J. Moles **Examiner Name** Beemnet W. Dada Applicant claims small entity status. See 37 CFR 1.27 Art Unit 2135 TOTAL AMOUNT OF PAYMENT (\$) 510.00 SAMS01-00097 Attorney Docket No. METHOD OF PAYMENT (check all that apply) Check Credit Card Money Order None Other (please identify): ✓ Deposit Account Deposit Account Number: 50-0208 Deposit Account Name: Munck Carter, P.C. For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) Charge fee(s) indicated below Charge fee(s) indicated below, except for the filing fee Charge any additional fee(s) or underpayments of fee(s) Credit any overpayments under 37 CFR 1.16 and 1.17 WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. **FEE CALCULATION** 1. BASIC FILING, SEARCH, AND EXAMINATION FEES **FILING FEES SEARCH FEES EXAMINATION FEES** Small Entity Small Entity **Small Entity** Fees Paid (\$) Application Type Fee (\$) Fee (\$) Fee (\$) Fee (\$) Fee (\$) Fee_(\$) Utility 310 210 155 510 255 105 Design 210 105 100 130 50 65 Plant 210 105 310 155 160 80 310 Reissue 155 510 620 255 310 Provisional 210 105 0 Small Entity 2. EXCESS CLAIM FEES Fee (\$) Fee (\$) Fee Description 50 25 Each claim over 20 (including Reissues) 105 210 Each independent claim over 3 (including Reissues) Multiple dependent claims 370 185 **Total Claims Multiple Dependent Claims** Extra Claims Fee Paid (\$) Fee (\$) - 20 or HP = Fee (\$) Fee Paid (\$) HP = highest number of total claims paid for, if greater than 20. Extra Claims Fee (\$) Fee Paid (\$) Indep. Claims - 3 or HP = HP = highest number of independent claims paid for, if greater than 3. 3. APPLICATION SIZE FEE If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$260 (\$130 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s). Extra Sheets Number of each additional 50 or fraction thereof Fee Paid (\$) Total Sheets / 50 = (round up to a whole number) 4. OTHER FEE(S) Fees Paid (\$) Non-English Specification, \$130 fee (no small entity discount) Other (e.g., late filing surcharge): Appeal Brief \$510.00

SUBMITTED BY	1		
Signature	John Modela	Registration No. (Attorney/Agent) 39,775	Telephone 972-628-3600
Name (Print/Type)	John T. Mockler		Date June 6, 2008

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PATENT

DOCKET NO. 2000.04.017.WT0

Customer No. 23990

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re application of

Bryan J. Moles, et al.

Serial No.

09/475,602

Filed

December 30, 1999

For

SYSTEM AND METHOD FOR SECURE PROVISIONING OF A

MOBILE STATION FROM A PROVISIONING SERVER USING

IP ADDRESS TRANSLATION AT THE BTS/BSC

Art Unit

2135

Examiner

Beemnet W. Dada

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

APPELLANTS' BRIEF ON APPEAL

Appellant respectfully submits that the Examiner's decision of December 31, 2007, finally rejecting Claims 1-20 in the present application, should be reversed, in view of the following arguments and authorities. This Appeal Brief is submitted on behalf of Appellants for the aboveidentified application. A Notice of Appeal was filed on March 31, 2008, and received in the Patent Office on April 4, 2008. A Pre-Appeal Brief Request for Review was filed along with the Notice of Appeal. A Pre-Appeal Brief conference determined that there is at least one actual issue for appeal and the application remains under appeal.

REAL PARTY IN INTEREST

The real party in interest for this appeal is the assignee of the application, Samsung Electronics Co., Ltd.

L:\SAMS01\00097 -2-

RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences related to the present application that are currently pending

L:\SAMS01\00097 -3-

STATUS OF CLAIMS

Claims 1-20 were originally filed and remain pending in the application. Claims 1-20 were rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,587,684 to *Hsu*, et al. in view of U. S. Patent No. 6,321,336 to *Applegate*, et al. Claims 1-20 are presented for appeal. A copy of all pending claims is provided in Appendix A.

L:\SAMS01\00097 -4-

STATUS OF AMENDMENTS

No claims were amended after final rejection.

L:\SAMS01\00097 -5-

SUMMARY OF CLAIMED SUBJECT MATTER

Regarding Claim 1, a security device is recited, for use in a wireless network that comprises a plurality of base stations, each of the base stations capable of communicating with a plurality of mobile stations. See Specification, Fig. 1, page 14, lines 10-19. The security device is capable of preventing an unprovisioned one of the plurality of mobile stations from accessing an Internet protocol (IP) data network through the wireless network. See Specification, Fig. 3, page 21, lines 14-22. The security device includes a first controller that is capable of receiving from the unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload. See Specification, Fig. 4, page 25, lines 12-20. The first controller is also capable of replacing the IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers that are associated with the wireless network. Id.

Regarding Claim 9, a wireless network includes a plurality of base stations (each capable of communicating with a plurality of mobile stations), at least one provisioning server, and a security device. See Specification, Fig. 1, page 14, lines 10-19, and Fig. 3, page 21, lines 14-22. The security device is capable of preventing an unprovisioned one of the plurality of mobile stations from accessing an Internet protocol (IP) data network through the wireless network. See Specification, Fig. 3, page 21, lines 14-22. The security device includes a first controller that is capable of receiving from the unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload. See Specification, Fig. 4, page 25, lines 12-20. The first controller is also capable of replacing the IP packet header with a replacement IP packet header comprising an IP

L:\SAMS01\00097 -6-

address of a selected one of a plurality of provisioning servers that are associated with the wireless network. *Id.* In this way, the security device is capable of preventing the unprovisioned mobile station from accessing the Internet protocol (IP) data network through the wireless network by addressing IP packets from the mobile station to the selected provisioning server.

Regarding Claim 17, a method is recited for use in a wireless network that comprises a plurality of base stations, each of the base stations capable of communicating with a plurality of mobile stations. See Specification, Fig. 1, page 14, lines 10-19. The method of preventing an unprovisioned one of the plurality of mobile stations from accessing an Internet protocol (IP) data network through the wireless network includes receiving from the unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload. See Specification, Fig. 4, page 25, lines 12-20. The method also includes determining that the unprovisioned mobile station is unprovisioned. See Specification, Fig. 5, page 29, line 17, through page 30, line 2. The method further includes replacing the IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers associated with the wireless network. See Specification, Fig. 5, page 30, lines 5-10. In this way, the method prevents the unprovisioned mobile station from accessing the Internet protocol (IP) data network through the wireless network by addressing IP packets from the mobile station to the selected provisioning server.

L:\SAMS01\00097 -7-

GROUNDS OF REJECTION TO BE REVIEWED UPON APPEAL

1. Claims 1-20 were rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S.

Patent No. 6,587,684 to Hsu, et al. in view of U. S. Patent No. 6,321,336 to Applegate, et al.

ARGUMENT

I. GROUND OF REJECTION #1 (§ 103 REJECTION)

The rejection of Claims 1-20 under 35 U.S.C. § 103(a) is improper and should be withdrawn.

A. OVERVIEW

Claims 1-20 were rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,587,684 to *Hsu*, *et al.* (hereinafter, "Hsu") in view of U. S. Patent No. 6,321,336 to *Applegate*, *et al.* (hereinafter, "Applegate").

B. STANDARD

35 U.S.C. § 103

In rejecting claims under 35 U.S.C. § 103(a), the examiner bears the initial burden of establishing a *prima facie* case of obviousness. (*In re Oetiker*, 977 F.2d 1443, 1445, 24 USPQ2d 1443, 1444 (Fed. Cir. 1992). See also *In re Piasecki*, 745 F.2d 1468, 1472, 223 USPQ 785, 788 (Fed. Cir. 1984)). It is incumbent upon the examiner to establish a factual basis to support the legal conclusion of obviousness. (*Id.* at 1073, 5 USPQ2d at 1598). In so doing, the examiner is expected to make the factual determinations set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 17, 148 USPQ 459, 467 (1966), *viz.*, (1) the scope and content of the prior art; (2) the differences between the prior art and the claims at issue; and (3) the level of ordinary skill in the art. In addition to these factual determinations, the examiner must also provide "some articulated reasoning with some

L:\SAMS01\00097 -9-

rational underpinning to support the legal conclusion of obviousness." (*In re Kahn*, 441 F.3d 977, 988, 78 USPQ2d 1329, 1336 (Fed. Cir 2006) (cited with approval in *KSR Int'l v. Teleflex Inc.*, 127 S. Ct. 1727, 1741, 82 USPQ2d 1385, 1396 (2007)).

Considering the Invention as a Whole

When applying 35 U.S.C. 103, the claimed invention must be considered as a whole. *See MPEP § 2141(II)*. In determining the differences between the prior art and the claims, the question under 35 U.S.C. 103 is not whether the differences themselves would have been obvious, but whether the claimed invention as a whole would have been obvious. *MPEP § 2141.02(I)*, *citing Stratoflex, Inc. v. Aeroquip Corp.*, 713 F.2d 1530, 218 USPQ 871 (Fed. Cir. 1983). Indeed, The Supreme Court has recently held,

[A] patent composed of several elements is not proved obvious merely by demonstrating that each of its elements was, independently, known in the prior art. Although common sense directs one to look with care at a patent application that claims as innovation the combination of two known devices according to their established functions, it can be important to identify a reason that would have prompted a person of ordinary skill in the relevant field to combine the elements in the way the claimed new invention does. KSR Intern. Co. v. Teleflex Inc., 127 S.Ct. 1727 (U.S., 2007).

Solving a Problem Already Solved

In Ex Parte Rinkevich et al. (BPAI 2007-1317, non-precedential), the BPAI applies KSR to reason that a skilled person would not look to a second patent to solve a problem already solved by a first patent (and by the patentee). The BPAI wrote: "In the instant case, we conclude that a person of ordinary skill in the art having common sense at the time of the invention would not have reasonably

L:\SAMS01\00097 -10-

looked to Wu to solve a problem already solved by Savill. Therefore, we agree with Appellants that the Examiner has impermissibly used the instant claims as a guide or roadmap in formulating the rejection."

See http://des.uspto.gov/Foia/ReterivePdf?system=BPAI&flNm=fd2007131705-29-2007

Fully and Clearly Stated Grounds of Rejection

A proper rejection must be stated clearly and specifically. MPEP § 707.07(d), page 700-125 (8th ed. rev. 6, September 2007) ("Where a claim is refused for any reason relating to the merits thereof it should be 'rejected' and the ground of rejection fully and clearly stated...") (Emphasis added).

As further clarified in MPEP § 2142:

The key to supporting any rejection under 35 U.S.C. 103 is the clear articulation of the reason(s) why the claimed invention would have been obvious. The Supreme Court in KSR International Co. v. Teleflex Inc., 550 U.S. ____, ___, 82 USPQ2d 1385, 1396 (2007) noted that the analysis supporting a rejection under 35 U.S.C. 103 should be made explicit. The Federal Circuit has stated that "rejections on obviousness cannot be sustained with mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness." In re Kahn, 441 F.3d 977, 988, 78 USPQ2d 1329, 1336 (Fed. Cir. 2006). See also KSR, 550 U.S. at ____, 82 USPQ2d at 1396 (quoting Federal Circuit statement with approval). MPEP § 2142, pages 2100-127 through 2100-128 (8th ed. rev. 6, September 2007) (Emphasis added).

C. THE HSU REFERENCE

The Hsu reference provides an over-the-air cellphone provisioning procedure. *See Hsu, col.*14, lines 13-18. In an initial step, the purchaser of a digital telephone calls a customer service center

L:\SAMS01\00097 -11-

using a predetermined phone number. See Hsu, col. 14, lines 19-26. The customer service center receives user identity and credit-related information from the purchaser, establishes an account for the purchaser, and activates the account. See Hsu, col. 14, lines 31-48. The purchaser then initiates an activation routine that makes a wireless data call to an interworking function (IWF), which assigns the digital telephone a temporary IP address and provides the IP address of a data proxy server/gateway. See Hsu, col. 14, line 49, through col. 15, line 6. The telephone establishes a link with the proxy server and receives a uniform resource locator (URL) for the sole provisioning server in the system of Hsu. See Hsu, col. 15, lines 24-29. The telephone uses the URL provided to it by the proxy server to communicate with the provisioning server in completing the provisioning procedure. See Hsu, col. 15, lines 30-50.

D. THE APPLEGATE REFERENCE

The Applegate reference describes a firewall for securing traffic between an internal network and an external network. *See Applegate, col. 2, lines 43-46.* The firewall receives a message from a host on the internal network, the message including a destination address. *See Applegate, col. 2, lines 11-13.* The firewall saves the original destination address and replaces it with the address of an FTP proxy within the firewall. *See Applegate, col. 5, lines 24-30.* The FTP proxy receives the redirected message, examines the original destination address, and if communication with that address is allowed, replaces the FTP proxy address with the original address and sends the message to the external network. *See Applegate, col. 5, lines 55-64.*

L:\SAMS01\00097 -12-

E. CLAIM 1

Claim 1 recites

[f]or use in a wireless network comprising a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations, a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload and replacing said IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers associated with said wireless network.

First, Examiner Dada acknowledges that Hsu does not describe a controller that receives an IP data packet and replaces the received IP packet header with an IP packet header including an IP address of a selected one of a plurality of provisioning servers. But, Examiner Dada asserts that replacing an IP header with the IP address of a server is well-known in the art, "in order to route data to a correct destination address and further provide efficient data transmission." See final Office Action, mailed December 31, 2007, sentence beginning last line of page 3.

However, routing data to a correct destination address and providing efficient data transmission are problems that Hsu has already solved. Hsu ensures that provisioning messages go only to the provisioning server by providing the server's address to a wireless device for its use during provisioning. As such Hsu has provided a mechanism for routing data to a correct destination address and providing efficient data transmission. Examiner Dada has provided no explanation why a person of ordinary skill in the art having common sense at the time of the invention would have

L:\SAMS01\00097 -13-

reasonably looked to Applegate to solve a problem already solved by Hsu. Instead, the Appellants respectfully submit that Examiner Dada has impermissibly used Claim 1 as a guide in formulating the rejection.

Second, in further support of the assertion that replacing an IP header with the IP address of a server is well-known in the art, Examiner Dada cites Applegate. The Examiner asserts that Applegate describes replacing an IP packet header with a replacement IP packet header including the IP address of a selected one of a plurality of servers associated with a wireless network, citing column 5, lines 34-65. The Applicants respectfully submit that Examiner Dada appears to mischaracterize several aspects of the Applegate reference.

Applegate describes a firewall that reroutes an FTP packet to a local FTP proxy by replacing the IP address of an external FTP server with the IP address of the FTP proxy. However, Applegate makes no mention of a plurality of FTP proxies, nor of selecting one proxy from a plurality of proxies. Also, Applegate describes a communication security system that uses a server to communicate to an unprotected network, such as the Internet, but Applegate makes no mention of a wireless network. Furthermore, Examiner Dada asserts that a person of skill in the art would turn to the teaching of Applegate in order to efficiently route packets and further enhance security of the system. Applegate provides no suggestion that replacing the IP address of an FTP server with the address of an FTP proxy provides efficient routing of packets, and the security enhancements of Applegate come not from replacing the IP address in the FTP packet, but rather from checking in the FTP proxy whether a connection to the intended FTP server is permitted.

L:\SAMS01\00097 -14-

PATENT

In short, Examiner Dada has suggested that a person of skill in the art would combine Hsu

and Applegate to solve a problem that does not exist in Hsu with a feature of Applegate that does not

provide the improvement that the Examiner suggests. The suggestion that the security of over-the-air

provisioning should be improved and the solution of replacing the IP address in a data packet from

an unprovisioned mobile station with the IP address of a provisioning server come only from the

present application, not from the cited references.

Third, while Hsu describes a proxy gateway sending the URL of a provisioning server to a

wireless device, Hsu describes only a single provisioning server, not a plurality of provisioning

servers, as asserted by Examiner Dada.

As such, Examiner Dada has not shown that the cited references teach or suggest all the

limitations of Claim 1. For these reasons, the Examiner has failed to establish a prima facie case of

obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 1

under § 103 be withdrawn and that Claim 1 be passed to allowance.

F. CLAIM 2

Claim 2 recites the security device of Claim 1, wherein the first controller is disposed in at

least one of the plurality of base stations.

As Claim 2 depends from Claim 1, the arguments above with regard to the patentability of

Claim 1 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

L:\SAMS01\00097 -15-

PATENT

In rejecting Claim 1, Examiner Dada interpreted the proxy server of Hsu as teaching the

recited first controller. See final Office Action, mailed December 31, 2007, page 3, section 5, second

paragraph, first sentence. In rejecting Claim 2, Examiner Dada stated that Hsu further teaches that

the first controller is disposed in at least one of the plurality of base stations at column 6, lines 25-30.

See final Office Action, page 5, section 7. The cited passage is reproduced below:

Specifically, the IWF 18 provides an interworking function, where data packets transmitted by a digital telephone 16 and received by the BSC 14 are routed to the

IWF 18 via the MSC 12 based on dialed digits supplied from the digital telephone 16.

The Appellants note that the cited passage makes no reference at all to the proxy server that

Examiner Dada asserted describes the recited first controller. Furthermore, the Appellants are unable

to find in the cited passage (or any other part of Hsu) any description of the proxy server of Hsu

being disposed in the base station of Hsu.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 2 under § 103 be

withdrawn and that Claim 2 be passed to allowance.

G. CLAIM 3

Claim 3 recites the security device of Claim 1, wherein the first controller is disposed in a

mobile switching center of the wireless network.

As Claim 3 depends from Claim 1, the arguments above with regard to the patentability of

Claim 1 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

L:\SAMS01\00097 -16-

In rejecting Claim 1, Examiner Dada interpreted the proxy server of Hsu as teaching the

recited first controller. See final Office Action, mailed December 31, 2007, page 3, section 5, second

paragraph, first sentence. In rejecting Claim 3, Examiner Dada stated that Hsu further teaches that

the first controller is disposed in at least one of the plurality of base stations at column 6, lines 25-30.

See final Office Action, page 5, section 8. The cited passage is reproduced below:

Specifically, the IWF 18 provides an interworking function, where data packets transmitted by a digital telephone 16 and received by the BSC 14 are routed to the

IWF 18 via the MSC 12 based on dialed digits supplied from the digital telephone 16.

The Appellants note that the cited passage makes no reference at all to the proxy server that

Examiner Dada asserted describes the recited first controller. Furthermore, the Appellants are unable

to find in the cited passage (or any other part of Hsu) any description of the proxy server of Hsu

being disposed in the mobile switching center of Hsu.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 3 under § 103 be

withdrawn and that Claim 3 be passed to allowance.

H. CLAIM 4

Claim 4 recites the security device of Claim 1, further comprising a second controller capable

of determining that said unprovisioned mobile station is unprovisioned.

As Claim 4 depends from Claim 1, the arguments above with regard to the patentability of

Claim 1 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

L:\SAMS01\00097 -17-

In rejecting Claim 4, Examiner Dada makes the conclusory statement, "As per claim [4], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests a second controller. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. *Hsu*, col. 15, lines 21-29. Reference character typo corrected.

In rejecting Claim 1, Examiner Dada interpreted the proxy server of Hsu as teaching the recited first controller. See final Office Action, mailed December 31, 2007, page 3, section 5, second paragraph, first sentence. The passages cited in rejecting Claim 4 provide further description of the proxy server and, therefore, do not describe the second controller recited in Claim 4.

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 4. Specifically, the Examiner has not shown where Hsu describes the

L:\SAMS01\00097 -18-

PATEN'

recited second controller capable of determining that an unprovisioned mobile station is

unprovisioned.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 4 under § 103 be

withdrawn and that Claim 4 be passed to allowance.

I. CLAIM 5

Claim 5 recites the security device of Claim 4, wherein the second controller determines that

the unprovisioned mobile station is unprovisioned if the unprovisioned mobile station is unable to

authenticate to the wireless network.

As Claim 5 depends from Claim 4, the arguments above with regard to the patentability of

Claim 4 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 5, Examiner Dada makes the conclusory statement, "As per claim [5], Hsu

further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15,

lines 7-10 and 21-25)." Final Office Action, mailed December 31, 2007, page 5, section 9.

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or

Applegate describes or suggests determining that a mobile station is unprovisioned from the inability

of the mobile station to authenticate to a wireless network. As such, the Examiner has failed to

establish a prima facie case of obviousness by failing to show that the prior art teaches or suggests all

the elements of the claim.

L:\SAMS01\00097 -19-

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. Hsu, col. 15, lines 21-29. Reference character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of a mobile station authenticating to a wireless network, much less determining that a mobile station is unprovisioned from its inability to authenticate to the network.

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 5. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned if the mobile station is unable to authenticate to the wireless network.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 5 under § 103 be withdrawn and that Claim 5 be passed to allowance.

L:\SAMS01\00097 -20-

J. CLAIM 6

Claim 6 recites the security device of Claim 4, wherein the second controller determines that the unprovisioned mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station.

As Claim 6 depends from Claim 4, the arguments above with regard to the patentability of Claim 4 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 6, Examiner Dada makes the conclusory statement, "As per claim [6], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu*, col. 15, lines 7-11.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption

L:\SAMS01\00097 -21-

algorithm, such as the Diffe-Hellman algorithm. Hsu, col. 15, lines 21-29. Reference

character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of predetermined

telephone numbers associated with a service provisioning process, or an unprovisioned mobile

station selecting a service provisioning process, much less determining that a mobile station is

unprovisioned according to a predetermined telephone number associated with a service provisioning

process selected by the unprovisioned mobile station

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the

grounds for rejecting Claim 6. Specifically, the Examiner has not shown where Hsu describes the

recited second controller capable of determining that an unprovisioned mobile station is

unprovisioned according to a predetermined telephone number associated with a service provisioning

process selected by the unprovisioned mobile station.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 6 under § 103 be

withdrawn and that Claim 6 be passed to allowance.

K. CLAIM 7

Claim 7 recites the security device of Claim 4, wherein the second controller determines that

the unprovisioned mobile station is unprovisioned according to data retrieved from a home location

register associated with said wireless network.

As Claim 7 depends from Claim 4, the arguments above with regard to the patentability of

Claim 4 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

L:\SAMS01\00097 -22-

In rejecting Claim 7, Examiner Dada makes the conclusory statement, "As per claim [7], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." Final Office Action, mailed December 31, 2007, page 5, section 9.

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. *Hsu*, col. 15, lines 21-29. Reference character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of determining that a mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network.

L:\SAMS01\00097 -23-

The user database 28 described in the cited passages stores an international mobile station identify (IMSI), a security key, and an 'active' status mode indication. *See Hsu, col. 15, lines 13-29, and Claims 6, 24 and 33.* The user database 28 is clearly not a home location register.

In fact, Hsu describes a home location register as separate from the user database 28. The home location register is part of operation maintenance provisioning system 44. *See Hsu, Fig. 1, col.* 7, *lines 50-59.*

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 7. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 7 under § 103 be withdrawn and that Claim 7 be passed to allowance.

L. CLAIM 8

Claim 8 recites the security device of Claim 1, wherein the first controller selects the at least one provisioning server by selecting said IP address in said replacement IP packet header according to a load spreading algorithm.

L:\SAMS01\00097 -24-

As Claim 8 depends from Claim 1, the arguments above with regard to the patentability of Claim 1 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 8, Examiner Dada stated that Applegate describes selecting an IP address according to a load sharing algorithm in column 5, lines 34-65. See final Office Action, mailed December 31, 2007, page 5, section 10. The Appellants respectfully submit that Examiner Dada appears to mischaracterize the teaching of the Applegate reference.

The cited passage is reproduced below:

The message packet is then passed along 366 to TCP/IP 226. The modified message packet has: source IP address 199.198.10.2, source port 1024, destination IP address 199.198.10.1, and destination port 21. The IP layer then examines the IP header, determines that the message is destined for the Firewall machine and accepts it. TCP/IP passes the message along to the FTP proxy, which is listening for incoming messages. The FTP proxy 310 obtains the message, verifies that the FTP connection is permitted by an access control entry, and hides the internal source of the message from the external network. *Applegate, col. 5, lines 34-64*

There is clearly no description in the cited passage of selecting an IP address according to a load sharing algorithm, as asserted by Examiner Dada. In fact, Applegate describes a firewall that reroutes an FTP packet to a local FTP proxy by replacing the IP address of an external FTP server with the IP address of the FTP proxy. There is only a single FTP proxy in Applegate, therefore Applegate cannot teach selecting one of a plurality of servers, much less selecting a server according to a load sharing algorithm.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 8 under § 103 be withdrawn and that Claim 8 be passed to allowance.

L:\SAMS01\00097 -25-

M. CLAIM 9

Claim 9 recites a wireless network comprising:

a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations;

at least one provisioning server; and

a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload and replacing said IP packet header with a replacement IP packet header comprising an IP address of said provisioning server.

First, Examiner Dada acknowledges that Hsu describes transmitting a URL of a provisioning server to a wireless device, rather than describing replacing a received IP packet header with an IP packet header including an IP address of a selected one of a plurality of provisioning servers. But, Examiner Dada asserts that replacing an IP header with the IP address of a server is well-known in the art, "in order to route data to a correct destination address and further provide efficient data transmission." See final Office Action, mailed December 31, 2007, sentence beginning last line of page 4.

Routing data to a correct destination address and providing efficient data transmission, the motivations proposed by Examiner Dada, are problems that Hsu has already solved. Hsu ensures that provisioning messages go only to the provisioning server by providing the server's address to a wireless device for its use during provisioning, as acknowledged by the Examiner. As such Hsu has already provided a mechanism for routing data to a correct destination address and providing

L:\SAMS01\00097 -26-

efficient data transmission. Examiner Dada has provided no explanation why a person of ordinary skill in the art having common sense at the time of the invention would have reasonably looked to Applegate to solve a problem already solved by Hsu. Instead, the Appellants respectfully submit that

Examiner Dada has impermissibly used Claim 1 as a guide in formulating the rejection.

Second, in further support of the assertion that replacing an IP header with the IP address of a server is well-known in the art, Examiner Dada cites Applegate. The Examiner asserts that Applegate describes replacing an IP packet header with a replacement IP packet header including the IP address of a selected one of a plurality of servers associated with a wireless network, citing column 5, lines 34-65. The Applicants respectfully submit that Examiner Dada appears to mischaracterize several aspects of the Applegate reference.

Applegate describes a firewall that reroutes an FTP packet to a local FTP proxy by replacing the IP address of an external FTP server with the IP address of the FTP proxy. However, Applegate makes no mention of a plurality of FTP proxies, nor of selecting one proxy from a plurality of proxies. Also, Applegate describes a communication security system that uses a server to communicate to an unprotected network, such as the Internet, but Applegate makes no mention of a wireless network. Furthermore, Examiner Dada asserts that a person of skill in the art would turn to the teaching of Applegate in order to efficiently route packets and further enhance security of the system. Applegate provides no suggestion that replacing the IP address of an FTP server with the address of an FTP proxy provides efficient routing of packets, and the security enhancements of

L:\SAMS01\00097 -27-

Applegate come not from replacing the IP address in the FTP packet, but rather from checking in the

FTP proxy whether a connection to the intended FTP server is permitted.

In short, Examiner Dada has suggested that a person of skill in the art would combine Hsu

and Applegate to solve a problem that does not exist in Hsu with a feature of Applegate that does not

provide the improvement that the Examiner suggests. The suggestion that the security of over-the-air

provisioning should be improved and the solution of replacing the IP address in a data packet from

an unprovisioned mobile station with the IP address of a provisioning server come only from the

present application, not from the cited references.

Third, while Hsu describes a proxy gateway sending the URL of a provisioning server to a

wireless device, Hsu describes only a single provisioning server, not a plurality of provisioning

servers, as asserted by Examiner Dada.

As such, Examiner Dada has not shown that the cited references teach or suggest all the

limitations of Claim 1. For these reasons, the Examiner has failed to establish a prima facie case of

obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 1

under § 103 be withdrawn and that Claim 1 be passed to allowance.

N. CLAIM 10

Claim 10 recites the wireless network of Claim 9, wherein the first controller is disposed in at

least one of the plurality of base stations.

L:\SAMS01\00097 -28-

As Claim 10 depends from Claim 9, the arguments above with regard to the patentability of Claim 9 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 9, Examiner Dada interpreted the proxy server of Hsu as teaching the recited first controller. See final Office Action, mailed December 31, 2007, page 4, section 6, fifth paragraph, first sentence. In rejecting Claim 10, Examiner Dada stated that Hsu further teaches that the first controller is disposed in at least one of the plurality of base stations at column 6, lines 25-30. See final Office Action, page 5, section 7. The cited passage is reproduced below:

Specifically, the IWF 18 provides an interworking function, where data packets transmitted by a digital telephone 16 and received by the BSC 14 are routed to the IWF 18 via the MSC 12 based on dialed digits supplied from the digital telephone 16.

The Appellants note that the cited passage makes no reference at all to the proxy server that Examiner Dada asserted describes the recited first controller. Furthermore, the Appellants are unable to find in the cited passage (or any other part of Hsu) any description of the proxy server of Hsu being disposed in the base station of Hsu.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 10 under § 103 be withdrawn and that Claim 10 be passed to allowance.

O. CLAIM 11

Claim 11 recites the wireless network of Claim 9, wherein the first controller is disposed in a mobile switching center of the wireless network.

L:\SAMS01\00097 -29-

As Claim 11 depends from Claim 9, the arguments above with regard to the patentability of Claim 9 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 9, Examiner Dada interpreted the proxy server of Hsu as teaching the recited first controller. See final Office Action, mailed December 31, 2007, page 3, section 5, second paragraph, first sentence. In rejecting Claim 11, Examiner Dada stated that Hsu further teaches that the first controller is disposed in at least one of the plurality of base stations at column 6, lines 25-30. See final Office Action, page 5, section 8. The cited passage is reproduced below:

Specifically, the IWF 18 provides an interworking function, where data packets transmitted by a digital telephone 16 and received by the BSC 14 are routed to the IWF 18 via the MSC 12 based on dialed digits supplied from the digital telephone 16.

The Appellants note that the cited passage makes no reference at all to the proxy server that Examiner Dada asserted describes the recited first controller. Furthermore, the Appellants are unable to find in the cited passage (or any other part of Hsu) any description of the proxy server of Hsu being disposed in the mobile switching center of Hsu.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 11 under § 103 be withdrawn and that Claim 11 be passed to allowance.

Ρ. CLAIM 12

Claim 12 recites the wireless network of Claim 9, further comprising a second controller capable of determining that said unprovisioned mobile station is unprovisioned.

-30-L:\SAMS01\00097

As Claim 12 depends from Claim 9, the arguments above with regard to the patentability of Claim 9 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 12, Examiner Dada makes the conclusory statement, "As per claim [12], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests a second controller. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. *Hsu*, col. 15, lines 21-29. Reference character typo corrected.

In rejecting Claim 9, Examiner Dada interpreted the proxy server of Hsu as teaching the recited first controller. See final Office Action, mailed December 31, 2007, page 3, section 5, second paragraph, first sentence. The passages cited in rejecting Claim 12 provide further description of the proxy server and, therefore, do not describe the second controller recited in Claim 12.

L:\SAMS01\00097 -31-

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 12. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 12 under § 103 be withdrawn and that Claim 12 be passed to allowance.

Q. <u>CLAIM 13</u>

Claim 13 recites the security device of Claim 12, wherein the second controller determines that the unprovisioned mobile station is unprovisioned if the unprovisioned mobile station is unable to authenticate to the wireless network.

As Claim 13 depends from Claim 12, the arguments above with regard to the patentability of Claim 12 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 13, Examiner Dada makes the conclusory statement, "As per claim [13], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." Final Office Action, mailed December 31, 2007, page 5, section 9.

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned from the inability of the mobile station to authenticate to a wireless network. As such, the Examiner has failed to

L:\SAMS01\00097 -32-

establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu*, col. 15, lines 7-11.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. Hsu, col. 15, lines 21-29. Reference character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of a mobile station authenticating to a wireless network, much less determining that a mobile station is unprovisioned from its inability to authenticate to the network.

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 13. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned if the mobile station is unable to authenticate to the wireless network.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 13 under § 103 be withdrawn and that Claim 13 be passed to allowance.

L:\SAMS01\00097 -33-

R. CLAIM 14

Claim 14 recites the security device of Claim 12, wherein the second controller determines that the unprovisioned mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station.

As Claim 14 depends from Claim 12, the arguments above with regard to the patentability of Claim 12 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 14, Examiner Dada makes the conclusory statement, "As per claim [14], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption

L:\SAMS01\00097 -34-

algorithm, such as the Diffe-Hellman algorithm. Hsu, col. 15, lines 21-29. Reference character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of predetermined telephone numbers associated with a service provisioning process, or an unprovisioned mobile station selecting a service provisioning process, much less determining that a mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 14. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by the unprovisioned mobile station.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 14 under § 103 be withdrawn and that Claim 14 be passed to allowance.

L:\SAMS01\00097 -35-

S. CLAIM 15

Claim 15 recites the security device of Claim 12, wherein the second controller determines that the unprovisioned mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network.

As Claim 15 depends from Claim 12, the arguments above with regard to the patentability of Claim 12 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 15, Examiner Dada makes the conclusory statement, "As per claim [15], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu*, col. 15, lines 7-11.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption

L:\SAMS01\00097 -36-

algorithm, such as the Diffe-Hellman algorithm. *Hsu, col. 15, lines 21-29. Reference character typo corrected.*

The Appellants are unable to find in the cited passages any teaching or suggestion of determining

that a mobile station is unprovisioned according to data retrieved from a home location register

associated with said wireless network.

The user database 28 described in the cited passages stores an international mobile station

identify (IMSI), a security key, and an 'active' status mode indication. See Hsu, col. 15, lines 13-29,

and Claims 6, 24 and 33. The user database 28 is clearly not a home location register.

In fact, Hsu describes a home location register as separate from the user database 28. The

home location register is part of operation maintenance provisioning system 44. See Hsu, Fig. 1, col.

7, lines 50-59.

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the

grounds for rejecting Claim 15. Specifically, the Examiner has not shown where Hsu describes the

recited second controller capable of determining that an unprovisioned mobile station is

unprovisioned according to data retrieved from a home location register associated with said wireless

network.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 15 under § 103 be

withdrawn and that Claim 15 be passed to allowance.

L:\SAMS01\00097 -37-

T. CLAIM 16

Claim 16 recites the security device of Claim 9, wherein the first controller selects the at least one provisioning server by selecting said IP address in said replacement IP packet header according to a load spreading algorithm.

As Claim 16 depends from Claim 9, the arguments above with regard to the patentability of Claim 9 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 16, Examiner Dada stated that Applegate describes selecting an IP address according to a load sharing algorithm in column 5, lines 34-65. *See final Office Action, mailed December 31, 2007, page 5, section 10.* The Appellants respectfully submit that Examiner Dada appears to mischaracterize the teaching of the Applegate reference.

The cited passage is reproduced below:

The message packet is then passed along 366 to TCP/IP 226. The modified message packet has: source IP address 199.198.10.2, source port 1024, destination IP address 199.198.10.1, and destination port 21. The IP layer then examines the IP header, determines that the message is destined for the Firewall machine and accepts it. TCP/IP passes the message along to the FTP proxy, which is listening for incoming messages. The FTP proxy 310 obtains the message, verifies that the FTP connection is permitted by an access control entry, and hides the internal source of the message from the external network. *Applegate*, col. 5, lines 34-64

There is clearly no description in the cited passage of selecting an IP address according to a load sharing algorithm, as asserted by Examiner Dada. In fact, Applegate describes a firewall that reroutes an FTP packet to a local FTP proxy by replacing the IP address of an external FTP server with the IP address of the FTP proxy. There is only a single FTP proxy in Applegate, therefore

L:\SAMS01\00097 -38-

Applegate cannot teach selecting one of a plurality of servers, much less selecting a server according

to a load sharing algorithm.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 16 under § 103 be

withdrawn and that Claim 16 be passed to allowance.

U. <u>CLAIM 17</u>

Claim 17 recites a method for use in a wireless network comprising a plurality of base

stations, each of the base stations capable of communicating with a plurality of mobile stations. The

method prevents an unprovisioned one of the plurality of mobile stations from accessing an Internet

protocol (IP) data network through the wireless network and comprises the steps of:

receiving from the unprovisioned mobile station an IP data packet comprising an IP

packet header and an IP packet payload;

determining that the unprovisioned mobile station is unprovisioned; and

replacing the IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers associated with the wireless

network.

First, Examiner Dada acknowledges that Hsu does not describe a controller that receives an

IP data packet and replaces the received IP packet header with an IP packet header including an IP

address of a selected one of a plurality of provisioning servers. But, Examiner Dada asserts that

replacing an IP header with the IP address of a server is well-known in the art, "in order to route data

to a correct destination address and further provide efficient data transmission." See final Office

Action, mailed December 31, 2007, sentence beginning last line of page 3.

L:\SAMS01\00097 -39-

However, routing data to a correct destination address and providing efficient data transmission are problems that Hsu has already solved. Hsu ensures that provisioning messages go only to the provisioning server by providing the server's address to a wireless device for its use during provisioning. As such Hsu has provided a mechanism for routing data to a correct destination address and providing efficient data transmission. Examiner Dada has provided no explanation why a person of ordinary skill in the art having common sense at the time of the invention would have reasonably looked to Applegate to solve a problem already solved by Hsu. Instead, the Appellants respectfully submit that Examiner Dada has impermissibly used Claim 1 as a guide in formulating the rejection.

Second, in further support of the assertion that replacing an IP header with the IP address of a server is well-known in the art, Examiner Dada cites Applegate. The Examiner asserts that Applegate describes replacing an IP packet header with a replacement IP packet header including the IP address of a selected one of a plurality of servers associated with a wireless network, citing column 5, lines 34-65. The Applicants respectfully submit that Examiner Dada appears to mischaracterize several aspects of the Applegate reference.

Applegate describes a firewall that reroutes an FTP packet to a local FTP proxy by replacing the IP address of an external FTP server with the IP address of the FTP proxy. However, Applegate makes no mention of a plurality of FTP proxies, nor of selecting one proxy from a plurality of proxies. Also, Applegate describes a communication security system that uses a server to communicate to an unprotected network, such as the Internet, but Applegate makes no mention of a

L:\SAMS01\00097 -40-

wireless network. Furthermore, Examiner Dada asserts that a person of skill in the art would turn to

the teaching of Applegate in order to efficiently route packets and further enhance security of the

system. Applegate provides no suggestion that replacing the IP address of an FTP server with the

address of an FTP proxy provides efficient routing of packets, and the security enhancements of

Applegate come not from replacing the IP address in the FTP packet, but rather from checking in the

FTP proxy whether a connection to the intended FTP server is permitted.

In short, Examiner Dada has suggested that a person of skill in the art would combine Hsu

and Applegate to solve a problem that does not exist in Hsu with a feature of Applegate that does not

provide the improvement that the Examiner suggests. The suggestion that the security of over-the-air

provisioning should be improved and the solution of replacing the IP address in a data packet from

an unprovisioned mobile station with the IP address of a provisioning server come only from the

present application, not from the cited references.

Third, while Hsu describes a proxy gateway sending the URL of a provisioning server to a

wireless device, Hsu describes only a single provisioning server, not a plurality of provisioning

servers, as asserted by Examiner Dada.

As such, Examiner Dada has not shown that the cited references teach or suggest all the

limitations of Claim 17. For these reasons, the Examiner has failed to establish a prima facie case of

obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 17

under § 103 be withdrawn and that Claim 17 be passed to allowance.

L:\SAMS01\00097 -41-

V. <u>CLAIM 18</u>

Claim 18 recites the security device of Claim 17, wherein the step of determining comprises the step of determining that the unprovisioned mobile station is unable to authenticate to the wireless network.

As Claim 18 depends from Claim 17, the arguments above with regard to the patentability of Claim 17 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 17, Examiner Dada makes the conclusory statement, "As per claim [17], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." Final Office Action, mailed December 31, 2007, page 5, section 9.

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned by determining the inability of the mobile station to authenticate to a wireless network. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu*, col. 15, lines 7-11.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption

L:\SAMS01\00097 -42-

algorithm, such as the Diffe-Hellman algorithm. *Hsu, col. 15, lines 21-29. Reference character typo corrected.*

The Appellants are unable to find in the cited passages any teaching or suggestion of a mobile station authenticating to a wireless network, much less determining that a mobile station is unprovisioned from its inability to authenticate to the network.

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 18. Specifically, the Examiner has not shown where Hsu describes the recited step of determining that an unprovisioned mobile station is unprovisioned by determining if the mobile station is unable to authenticate to the wireless network.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 18 under § 103 be withdrawn and that Claim 18 be passed to allowance.

W. CLAIM 19

Claim 19 recites the security device of Claim 17, wherein the step of determining comprises the step of determining that the unprovisioned mobile station selected a predetermined telephone number associated with a service provisioning process.

As Claim 19 depends from Claim 17, the arguments above with regard to the patentability of Claim 17 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

L:\SAMS01\00097 -43-

In rejecting Claim 19, Examiner Dada makes the conclusory statement, "As per claim [19], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." Final Office Action, mailed December 31, 2007, page 5, section 9.

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned by determining that the mobile station selected a predetermined telephone number associated with a service provisioning process. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. *Hsu, col. 15, lines 21-29. Reference character typo corrected.*

The Appellants are unable to find in the cited passages any teaching or suggestion of predetermined telephone numbers associated with a service provisioning process, or an unprovisioned mobile station selecting a service provisioning process, much less determining that a mobile station is unprovisioned by determining that the mobile station selected a predetermined telephone number associated with a service provisioning process.

L:\SAMS01\00097 -44-

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the grounds for rejecting Claim 19. Specifically, the Examiner has not shown where Hsu describes the recited second controller capable of determining that an unprovisioned mobile station is unprovisioned by determining that the mobile station selected a predetermined telephone number associated with a service provisioning process.

For these reasons, Examiner Dada has failed to establish a *prima facie* case of obviousness. Accordingly, the Appellants respectfully request that the final rejection of Claim 19 under § 103 be withdrawn and that Claim 19 be passed to allowance.

X. CLAIM 20

Claim 20 recites the security device of Claim 17, wherein the step of determining that the unprovisioned mobile station is unprovisioned comprises the step of examining data retrieved from a home location register associated with the wireless network.

As Claim 20 depends from Claim 17, the arguments above with regard to the patentability of Claim 17 over Hsu and Applegate apply here as well, and are incorporated herein by reference.

In rejecting Claim 20, Examiner Dada makes the conclusory statement, "As per claim [20], Hsu further teaches determining the unprovisioned mobile stations is (sic) unprovisioned (column 15, lines 7-10 and 21-25)." *Final Office Action, mailed December 31, 2007, page 5, section 9.*

Initially, the Appellants note that Examiner Dada has failed even to assert that Hsu or Applegate describes or suggests determining that a mobile station is unprovisioned by examining

L:\SAMS01\00097 -45-

data retrieved from a home location register associated with the wireless network. As such, the Examiner has failed to establish a *prima facie* case of obviousness by failing to show that the prior art teaches or suggests all the elements of the claim.

The cited passages state:

As shown in FIG. 4B, the digital telephone 16 then establishes an initial two-way application session 62 with the proxy server 20 in step 128. The digital telephone 16 also sends a data activation request with a security key and an international mobile station identity (IMSI). *Hsu, col. 15, lines 7-11*.

The proxy gateway 20 will also access the database [28] to determine if the user is in the active mode, indicating that the subscriber is already activated. If the user is not in an active mode, the proxy server 20 accepts the provisioning request in step 134 by transmitting a uniform resource locator (URL) to the digital telephone 16 and initiates a secure link using the user authenticated code and a public key encryption algorithm, such as the Diffe-Hellman algorithm. *Hsu*, col. 15, lines 21-29. Reference character typo corrected.

The Appellants are unable to find in the cited passages any teaching or suggestion of determining that a mobile station is unprovisioned by examining data retrieved from a home location register associated with the wireless network.

The user database 28 described in the cited passages stores an international mobile station identify (IMSI), a security key, and an 'active' status mode indication. *See Hsu*, col. 15, lines 13-29, and Claims 6, 24 and 33. The user database 28 is clearly not a home location register.

In fact, Hsu describes a home location register as separate from the user database 28. The home location register is part of operation maintenance provisioning system 44. *See Hsu, Fig. 1, col.* 7. *lines 50-59.*

L:\SAMS01\00097 -46-

PATENT

As such, the Appellants submit that Examiner Dada has failed to fully and clearly state the

grounds for rejecting Claim 20. Specifically, the Examiner has not shown where Hsu describes the

recited second controller capable of determining that an unprovisioned mobile station is

unprovisioned by examining data retrieved from a home location register associated with the

wireless network.

For these reasons, Examiner Dada has failed to establish a prima facie case of obviousness.

Accordingly, the Appellants respectfully request that the final rejection of Claim 20 under § 103 be

withdrawn and that Claim 20 be passed to allowance.

L:\SAMS01\00097 -47-

DOCKET NO. 2000.04.017.WT0 U.S. SERIAL NO. 09/475,602 PATENT

SUMMARY

For the reasons given above, the Appellants respectfully request reconsideration and allowance of pending claims and that this Application be passed to issue. If any outstanding issues remain, or if the Examiner has any further suggestions for expediting allowance of this Application, the Appellants respectfully invite the Examiner to contact the undersigned at the telephone number indicated below or at *jmockler@munckcarter.com*.

The Commissioner is hereby authorized to charge any additional fees connected with this communication or credit any overpayment to Deposit Account No. 50-0208.

Respectfully submitted,

MUNCK CARTER, P.C.

John J. Mockler

Date: June 6, 2008

P.O. Drawer 800889 Dallas, Texas 75380

Phone: (972) 628-3600 Fax: (972) 628-3616

E-mail: <u>imockler@munckcarter.com</u>

John T. Mockler

Registration No. 39,775

-48-

APPENDIX A CLAIMS APPENDIX

The status of the claims is as follows:

1. (Previously Presented) For use in a wireless network comprising a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations, a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload and replacing said IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers associated with said wireless network.

- 2. (Original) The security device set forth in Claim 1 wherein said first controller is disposed in at least one of said plurality of base stations.
- 3. (Original) The security device set forth in Claim 1 wherein said first controller is disposed in a mobile switching center of said wireless network.

L:\SAMS01\00097 -A1-

U.S. SERIAL NO. 09/475,602

4. (Original) The security device set forth in Claim 1 further comprising a second

controller capable of determining that said unprovisioned mobile station is unprovisioned.

5. (Previously Presented) The security device set forth in Claim 4 wherein said

second controller determines that said unprovisioned mobile station is unprovisioned if said

unprovisioned mobile station is unable to authenticate to said wireless network.

6. (Previously Presented) The security device set forth in Claim 4 wherein said second

controller determines that said unprovisioned mobile station is unprovisioned according to a

predetermined telephone number associated with a service provisioning process selected by said

unprovisioned mobile station.

7. (Previously Presented) The security device set forth in Claim 4 wherein said second

controller determines that said unprovisioned mobile station is unprovisioned according to data

retrieved from a home location register associated with said wireless network.

8. (Original) The security device set forth in Claim 1 wherein said first controller selects

said least one provisioning server by selecting said IP address in said replacement IP packet header

according to a load spreading algorithm.

L:\SAMS01\00097 -A2-

9. (Previously Presented) A wireless network comprising:

a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations;

at least one provisioning server; and

a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload and replacing said IP packet header with a replacement IP packet header comprising an IP address of said provisioning server.

- 10. (Original) The wireless network set forth in Claim 9 wherein said first controller is disposed in at least one of said plurality of base stations.
- 11. (Original) The wireless network set forth in Claim 9 wherein said first controller is disposed in a mobile switching center of said wireless network.
- 12. (Original) The wireless network set forth in Claim 9 further comprising a second controller capable of determining that said unprovisioned mobile station is unprovisioned.

L:\SAMS01\00097 -A3-

DOCKET NO. 2000.04.017.WT0 U.S. SERIAL NO. 09/475,602

PATENT

13. (Previously Presented) The wireless network set forth in Claim 12 wherein said

second controller determines that said unprovisioned mobile station is unprovisioned if said

unprovisioned mobile station is unable to authenticate to said wireless network.

14. (Previously Presented) The wireless network set forth in Claim 12 wherein said

second controller determines that said unprovisioned mobile station is unprovisioned according to a

predetermined telephone number associated with a service provisioning process selected by said

unprovisioned mobile station.

15. (Previously Presented) The wireless network set forth in Claim 12 wherein said

second controller determines that said unprovisioned mobile station is unprovisioned according to

data retrieved from a home location register associated with said wireless network.

16. (Original) The wireless network set forth in Claim 9 wherein said first controller

selects said least one provisioning server by selecting said IP address in said replacement IP packet

header according to a load spreading algorithm.

L:\SAMS01\00097 -A4-

17. (Previously Presented) For use in a wireless network comprising a plurality of base stations, each of the base stations capable of communicating with a plurality of mobile stations, a method of preventing an unprovisioned one of the plurality of mobile stations from accessing an Internet protocol (IP) data network through the wireless network, the method comprising the steps of: receiving from the unprovisioned mobile station an IP data packet comprising an IP packet

header and an IP packet payload;

determining that the unprovisioned mobile station is unprovisioned; and replacing the IP packet header with a replacement IP packet header comprising an IP address of a selected one of a plurality of provisioning servers associated with the wireless network.

- 18. (Original) The method set forth in Claim 17 wherein the step of determining comprises the step of determining that the unprovisioned mobile station is unable to authenticate to the wireless network.
- 19. (Original) The method set forth in Claim 17 wherein the step of determining comprises the step of determining that the unprovisioned mobile station selected a predetermined telephone number associated with a service provisioning process.

L:\SAMS01\00097 -A5-

20. (Original) The method set forth in Claim 17 wherein the step of determining that the unprovisioned mobile station is unprovisioned comprises the step of examining data retrieved from a home location register associated with the wireless network.

L:\SAMS01\00097 -A6-

APPENDIX B EVIDENCE APPENDIX

None. No evidence has been submitted pursuant to 37 CFR 1.130, 1.131, or 1.132, nor is there any other evidence entered by the examiner and relied upon by appellant in the appeal.

L:\SAMS01\00097 -B1-

APPENDIX C RELATED PROCEEDINGS APPENDIX

None. To the best knowledge and belief of the undersigned attorney, there are no decisions rendered by a court or the Board in any proceeding identified pursuant to 37 CFR 41.37(c)(1)(ii).

L:\SAMS01\00097 -C1-